



ANALIZA BIAŁEK



100011948

Laboratory of Analysis

Client: Amber Time
Order number: 100011948
Name: ARMA NOVA PHARMA IGF-1 LR3
Number of samples: 1 pen

Batch number: -----
Received date: 2026-01-12
Start date: 2026-01-17
End date: 2026-01-19

Sample identification

Substance	Method of taking a sample	Form
IGF-1 LR3	Sample provided by customer	Transparent liquid in a pen


Results

Substance	Sample name	Content	Purity
IGF-1 LR3	ARMA NOVA PHARMA IGF-1 LR3 1MG/3ML	315,02mcg/ml 945,06mcg/3ml	-----

Research comment

The test sample was applied in the amount of 3 μ l to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H₂O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its content, when compared to the reference chromatogram, is 945,06mcg/3ml. Height the measurement error is + - 0,5mcg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password

YNW0E7MW


Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajęc



Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

YNW0E7MW